iLynk Charge/Sync Adapter and Micro-USB Cable

Micro-B Female / Lightning Connector Male, w/ A Male/ Micro-B Male, 1m (3 ft.), White

Part No.: 393973

One Small Adapter to Charge and Sync Your Favorite Devices with Free Micro-USB Cable. The Manhattan iLynk Charge/Sync Adapter is an ultra-compact adapter that allows you to add a Lightning connector to your free included Micro USB cable. It connects quickly and easily to any Micro USB cable to charge and/or sync your iPhone 5, iPhone 5s, iPhone 5c, iPod touch (5th generation), iPad (4th generation), iPad Air or iPad mini. Plus, it has gold-plated contacts to guarantee excellent data transfer speeds of up to 480 Mbps. With gold-plated contacts and a sturdy yet flexible PVC jacket, the Manhattan Micro-USB Cable is the perfect way to charge and/or sync your iPhone, iPod, iPad or other mobile device. The iLynk Charge/Sync Adapter and Micro-USB cable are the perfect pair for easy use and stowing.

Features:

- Lightning connection adapter for use with Micro-USB cables
- Use the Lightning connector to charge and sync your iPhone, iPod, iPad Air or iPad mini
- Ultra-compact and portable
- USB 2.0 Standard-A to USB 2.0 Micro-B
- Gold-plated contacts for best performance
- Supports speeds up to 480 Mbps
- Lifetime Warranty

Specifications:

Standards and Certifications:
• MFi
• USB 2.0

Connectors:
• iLynk Charge/Sync Adapter

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.
All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- (1) type-B Micro USB female
- (1) 8-pin Lightning connection
- Nickel plated
- Gold-plated contacts
- Molded ABS boot

• Micro-USB Cable
- (1) USB 2.0 Standard-A male
- (1) USB 2.0 Micro-B male
- Nickel plated
- Gold-plated contacts
- Molded ABS boot
- Built-in strain relief

Electrical:
• iLynk Charge/Sync Adapter
- Withstanding voltage: 300 VDC 10 ms
- Insulation resistance: 5 MOhm
- Contact resistance: 2 Ohm

• Micro-USB Cable
- 28 AWG conductors
- Withstanding voltage: 300 VDC 10 ms
- Insulation resistance: 5 MOhm
- Contact resistance: 10 Ohm
- PVC jacket

Dimensions:
• iLynk Charge/Sync Adapter
- 26 mm (1 in.)

• Micro-USB Cable
- Length: 1 m (3.3 ft.)

Package Contents:
• iLynk Charge/Sync Adapter
• Hi-Speed USB Device Cable

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.
All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.
All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.